

Weatherproof metallic boxes

Universal boxes and covers

Single-gang

	Cat. No.	Hub size (in.)	Color	Std. ctn.
Three outlets				
	IH3-1	1/2	Silver	50
	IH3-2	3/4	Silver	50
	IH3-1-LM•	1/2	Silver	50
	IH3-2-LM•	3/4	Silver	50
	D-PAK			
	DIH3-1-LM•	1/2	Silver	10
	DIH3-1-LM-BR•	1/2	Bronze	10
	DIH3-1-LM-WH•	1/2	White	10
	DIH3-2-LM•	3/4	Silver	10
	B13030G	1	Silver	10
	IH4-1	1/2	Silver	50
	IH4-2	3/4	Silver	50
	IH4-1-LM•	1/2	Silver	50
	IH4-2-LM•	3/4	Silver	50
	D-PAK			
	DIH4-1-LM•	1/2	Silver	10
	DIH4-1-LM-BR•	1/2	Bronze	10
	DIH4-1-LM-WH•	1/2	White	10
	DIH4-2-LM•	3/4	Silver	10
	IH5-1	1/2	Silver	25
	IH5-2	3/4	Silver	25
	IH5-1-LM•	1/2	Silver	25
	IH5-2-LM•	3/4	Silver	25
	D-PAK			
	DIH5-1-LM•	1/2	Silver	10
	DIH5-2-LM•	3/4	Silver	10
	B1501SGR	1/2	Silver	16
	B1502SG	3/4	Silver	25
Five outlets (2-side)				
	IH6S2-1•	1/2	Silver	25
	IH6S2-2•	3/4	Silver	25

Note: Raintight when used with appropriate Red•Dot® covers. Boxes supplied with 2 closure plugs and ground screw.

- With mounting lugs

Two-gang

	Cat. No.	Hub Size (in.)	Color	Std. ctn.
Three outlets				
	2IH3-1•	1/2	Silver	10
	2IH3-2•	3/4	Silver	10
	D-PAK			
Four outlets				
	D2IH3-1	1/2	Silver	6
	2IH4-1•	1/2	Silver	10
	2IH4-2•	3/4	Silver	10
	2IH5-1•	1/2	Silver	10
	2IH5-2•	3/4	Silver	10
	2IH5S2-1•	1/2	Silver	10
	2IH5S2-2•	3/4	Silver	10
	B25D30G	1	Silver	10
	2IH7-1•	1/2	Silver	10
	2IH7-2•	3/4	Silver	10
Seven outlets (2-side)				
	2IH7S2-1•	1/2	Silver	10
	2IH7S2-2•	3/4	Silver	10

Note: Raintight when used with appropriate Red•Dot® covers. Boxes supplied with 2 closure plugs and ground screw.

- With mounting lugs

Weatherproof metallic boxes

Universal boxes and covers

Deep boxes—single- and multi-gang

	Cat. No.	Hub Size (in.)	Color	Std. ctn.
Three outlets				
	IHD3-1•	½	Silver	10
	IHD3-2•	¾	Silver	10
	IHD3-3•	1	Silver	10
Four outlets				
	IHD4-1•	½	Silver	10
	IHD4-2•	¾	Silver	10
Two-gang five outlets				
	2IHD5-1•	½	Silver	5
	2IHD5-2•	¾	Silver	5
	2IHD5-3•	1	Silver	5
Two-gang seven outlets				
	2IHD7S2-3	1	Silver	36
	B37D20G	¾	Silver	5
	B37D30G	1	Silver	5

Close-up plugs—zinc

	Cat. No.	Hub Size (in.)	Color	Material	Std. ctn.
	PLG-1-RD	½	Silver	Zinc	100
	PLG-2-RD	¾	Silver	Zinc	100
	PLG-3-RD	1	Silver	Zinc	100

D-PAK®

	Cat. No.	Hub Size (in.)	Color	Material	Std. ctn.
	DPLG-1	½	Silver	Zinc	30
	DPLG-1-BR	½	Bronze	Non-metallic	75
	DPLG-1-WH	½	White	Non-metallic	75
	DPLG-2	¾	Silver	Zinc	30

Extensions—single-gang

Extension Single gang		Hub size (in.)	Description	Color	Std. ctn.
Cat. No.					
No outlets—1" deep					
	IHE	N/A	Extension ring for one-gang box with gasket and screws	Silver	10
IHE					
Four outlets—1½" deep					
	S121E-R	½	4-hole extension ring for one-gang box with 4 plugs, gasket and screws	Silver	6
S121E-R					
Two outlets, flanged—1½" deep add on					
	IHEF2-1	½	2-hole flanged box extension adapter with 1 plug gasket and screws	Silver	5
	IHEF2-2	¾			
IHEF2-1					
Six outlets, flanged—1½" deep add on					
	IHEF6S2-1	½	6-hole flanged box extension adapter with 4 plugs, gasket and screws	Silver	5
	IHEF6S2-2	¾			
IHEF6S2-1					

Extensions—Two-gang

	Cat. No.	Hub size (in.)	No. of Hubs	Description	Color	Std. ctn.
Deep						
	2IHE	N/A	0	Extension ring for two-gang boxes with gasket and screws	Silver	10

Extensions—Round

	Cat. No.	Hub size (in.)	No. of Hubs	Description	Color	Std. ctn.
Four outlets—1½" deep						
	S130E	½	4	Round extension with gasket and screws	Silver	8
	SE-48	¾	4		Silver	5


Mounting lugs

	Cat. No.	Description	Color	Std. ctn.
	LM	2 Mounting lugs with self-tapping screws, for LM boxes only	Silver	100


Weatherproof metallic boxes

Universal boxes and covers


Single-gang boxes




Single-gang extension rings



Two-hole flanged box extension adapter IHEF2 (Add-On)




Six-hole flanged box extension adapter IHEF6S2 (Add-On)




Cat. No.	Hub Size	Dimensions (in.)									
		A	B	C	D	E	F	G	H	J	CI
IH-1	1/2	4 9/16	2 13/16	2	3/8	—	—	3 3/4	1 1/8	1 1/2	17.3
IH-2	3/4	4 9/16	2 13/16	2	3/8	—	—	3 3/4	1 1/8	1 1/2	17.0
IH-LM-1	1/2	4 9/16	2 13/16	2	3/8	3 13/16	3 1/2	3 3/4	1 1/8	1 1/2	17.3
IH-LM-2	3/4	4 9/16	2 13/16	2	3/8	3 13/16	3 1/2	3 3/4	1 1/8	1 1/2	17.0
IH-S-1	1/2	4 9/16	2 13/16	2	3/8	3 13/16	3 1/2	3 3/4	1 1/8	1 1/2	17.0
IH-S-2	3/4	4 9/16	2 13/16	2	3/8	3 13/16	3 1/2	3 3/4	1 1/8	1 1/2	17.0
IHD3-1	1/2	4 9/16	2 13/16	2 5/8	5/8	3 13/16	3 1/2	3 3/4	1 1/8	1 1/2	24.8
IHD3-2	3/4	4 9/16	2 13/16	2 5/8	5/8	3 13/16	3 1/2	3 3/4	1 1/8	1 1/2	24.8
IHD3-3	1	4 9/16	2 13/16	2 5/8	3/4	3 13/16	3 1/2	3 3/4	1 1/8	1 1/2	23.5

Two- and three-gang boxes 2IH & 3IH



Two-gang extension ring 2IHE



Cat. No.	Dimensions (in.)												
	A	B	C	D	E	F	G	H	J	K	L	M	CI
2IH3	4 9/16	4 9/16	2 1/16	3/8	5	3 1/2	3 13/16	3 3/4	—	—	3 3/4	3 3/16	31.8
2IH4	4 9/16	4 9/16	2 1/16	3/8	5	3 1/2	3 13/16	3 3/4	1 1/2	—	3 3/4	3 3/16	31.8
2IH5	4 9/16	4 9/16	2 1/16	3/8	5	3 1/2	3 13/16	3 3/4	1 1/2	—	3 3/4	3 3/16	31.8
2IH5S2	4 9/16	4 9/16	2 1/16	3/8	5	3 1/2	3 13/16	3 3/4	—	—	3 3/4	3 3/16	31.8
2IH7	4 9/16	4 9/16	2 1/16	3/8	5	3 1/2	3 13/16	3 3/4	—	1 1/2	3 3/4	3 3/16	30.3
2IH7S2	4 9/16	4 9/16	2 1/16	3/8	5	3 1/2	3 13/16	3 3/4	1 1/2	—	3 3/4	3 3/16	32.0
2IHD5	4 9/16	4 9/16	2 1/16	3/4	5	3 1/2	3 13/16	3 3/4	1 1/16	—	3 3/4	3 3/16	40.3
3IHD7	4 9/16	6 1/16	2 1/16	1 1/16	6 3/16	3 1/2	3 3/4	5 5/8	—	1 3/16	3 3/4	3 3/16	54.8

Weatherproof metallic boxes

Universal boxes and covers

Single-gang

	Cat. No.	Hub size (in.)	Color	Std. ctn.
Three outlets				
	IH3-1	1/2	Silver	50
	IH3-2	3/4	Silver	50
	IH3-1-LM•	1/2	Silver	50
	IH3-2-LM•	3/4	Silver	50
	D-PAK			
	DIH3-1-LM•	1/2	Silver	10
	DIH3-1-LM-BR•	1/2	Bronze	10
	DIH3-1-LM-WH•	1/2	White	10
	DIH3-2-LM•	3/4	Silver	10
	B13030G	1	Silver	10
	IH4-1	1/2	Silver	50
	IH4-2	3/4	Silver	50
	IH4-1-LM•	1/2	Silver	50
	IH4-2-LM•	3/4	Silver	50
	D-PAK			
	DIH4-1-LM•	1/2	Silver	10
	DIH4-1-LM-BR•	1/2	Bronze	10
	DIH4-1-LM-WH•	1/2	White	10
	DIH4-2-LM•	3/4	Silver	10
	IH5-1	1/2	Silver	25
	IH5-2	3/4	Silver	25
	IH5-1-LM•	1/2	Silver	25
	IH5-2-LM•	3/4	Silver	25
	D-PAK			
	DIH5-1-LM•	1/2	Silver	10
	DIH5-2-LM•	3/4	Silver	10
	B1501SGR	1/2	Silver	16
	B1502SG	3/4	Silver	25
Five outlets (2-side)				
	IH6S2-1•	1/2	Silver	25
	IH6S2-2•	3/4	Silver	25

Note: Raintight when used with appropriate Red•Dot® covers. Boxes supplied with 2 closure plugs and ground screw.

- With mounting lugs

Two-gang

	Cat. No.	Hub Size (in.)	Color	Std. ctn.
Three outlets				
	2IH3-1•	1/2	Silver	10
	2IH3-2•	3/4	Silver	10
	D-PAK			
Four outlets				
	D2IH3-1	1/2	Silver	6
	2IH4-1•	1/2	Silver	10
	2IH4-2•	3/4	Silver	10
	2IH5-1•	1/2	Silver	10
	2IH5-2•	3/4	Silver	10
	2IH5S2-1•	1/2	Silver	10
	2IH5S2-2•	3/4	Silver	10
	B25D30G	1	Silver	10
	2IH7-1•	1/2	Silver	10
	2IH7-2•	3/4	Silver	10
Seven outlets (2-side)				
	2IH7S2-1•	1/2	Silver	10
	2IH7S2-2•	3/4	Silver	10

Note: Raintight when used with appropriate Red•Dot® covers. Boxes supplied with 2 closure plugs and ground screw.

- With mounting lugs

Weatherproof metallic boxes

Universal boxes and covers

Deep boxes—single- and multi-gang

	Cat. No.	Hub Size (in.)	Color	Std. ctn.
Three outlets				
	IHD3-1•	½	Silver	10
	IHD3-2•	¾	Silver	10
	IHD3-3•	1	Silver	10
Four outlets				
	IHD4-1•	½	Silver	10
	IHD4-2•	¾	Silver	10
Two-gang five outlets				
	2IHD5-1•	½	Silver	5
	2IHD5-2•	¾	Silver	5
	2IHD5-3•	1	Silver	5
Two-gang seven outlets				
	2IHD7S2-3	1	Silver	36
	B37D20G	¾	Silver	5
	B37D30G	1	Silver	5

Close-up plugs—zinc

	Cat. No.	Hub Size (in.)	Color	Material	Std. ctn.
	PLG-1-RD	½	Silver	Zinc	100
	PLG-2-RD	¾	Silver	Zinc	100
	PLG-3-RD	1	Silver	Zinc	100

D-PAK®

	Cat. No.	Hub Size (in.)	Color	Material	Std. ctn.
	DPLG-1	½	Silver	Zinc	30
	DPLG-1-BR	½	Bronze	Non-metallic	75
	DPLG-1-WH	½	White	Non-metallic	75
	DPLG-2	¾	Silver	Zinc	30

Extensions—single-gang

	Cat. No.	Hub size (in.)	Description	Color	Std. ctn.
No outlets—1" deep					
	IHE	N/A	Extension ring for one-gang box with gasket and screws	Silver	10
Four outlets—1½" deep					
	S121E-R	½	4-hole extension ring for one-gang box with 4 plugs, gasket and screws	Silver	6
Two outlets, flanged—1½" deep add on					
	IHEF2-1	½	2-hole flanged box extension adapter with 1 plug gasket and screws	Silver	5
	IHEF2-2	¾			
Six outlets, flanged—1½" deep add on					
	IHEF6S2-1	½	6-hole flanged box extension adapter with 4 plugs, gasket and screws	Silver	5
	IHEF6S2-2	¾			

Extensions—Two-gang

	Cat. No.	Hub size (in.)	No. of Hubs	Description	Color	Std. ctn.
Deep						
	2IHE	N/A	0	Extension ring for two-gang boxes with gasket and screws	Silver	10

Extensions—Round

	Cat. No.	Hub size (in.)	No. of Hubs	Description	Color	Std. ctn.
Four outlets—1½" deep						
	S130E	½	4	Round extension with gasket and screws	Silver	8
	SE-48	¾	4		Silver	5


Mounting lugs

	Cat. No.	Description	Color	Std. ctn.
	LM	2 Mounting lugs with self-tapping screws, for LM boxes only	Silver	100


Weatherproof metallic boxes

Universal boxes and covers


Single-gang boxes




Single-gang extension rings



Two-hole flanged box extension adapter IHEF2 (Add-On)




Six-hole flanged box extension adapter IHEF6S2 (Add-On)




Cat. No.	Hub Size	Dimensions (in.)									
		A	B	C	D	E	F	G	H	J	CI
IH-1	1/2	4 9/16	2 13/16	2	3/8	—	—	3 3/4	1 1/8	1 1/2	17.3
IH-2	3/4	4 9/16	2 13/16	2	3/8	—	—	3 3/4	1 1/8	1 1/2	17.0
IH-LM-1	1/2	4 9/16	2 13/16	2	3/8	3 1/4	3 1/2	3 3/4	1 1/8	1 1/2	17.3
IH-LM-2	3/4	4 9/16	2 13/16	2	3/8	3 1/4	3 1/2	3 3/4	1 1/8	1 1/2	17.0
IH-S-1	1/2	4 9/16	2 13/16	2	3/8	3 1/4	3 1/2	3 3/4	1 1/8	1 1/2	17.0
IH-S-2	3/4	4 9/16	2 13/16	2	3/8	3 1/4	3 1/2	3 3/4	1 1/8	1 1/2	17.0
IHD3-1	1/2	4 9/16	2 13/16	2 5/8	5/8	3 1/4	3 1/2	3 3/4	1 1/8	1 1/2	24.8
IHD3-2	3/4	4 9/16	2 13/16	2 5/8	5/8	3 1/4	3 1/2	3 3/4	1 1/8	1 1/2	24.8
IHD3-3	1	4 9/16	2 13/16	2 5/8	3/4	3 1/4	3 1/2	3 3/4	1 1/8	1 1/2	23.5

Two- and three-gang boxes 2IH & 3IH



Two-gang extension ring 2IHE



Cat. No.	Dimensions (in.)												
	A	B	C	D	E	F	G	H	J	K	L	M	CI
2IH3	4 9/16	4 9/16	2 1/16	3/8	5	3 1/2	3 1/2	3 3/4	—	—	3 3/4	3 3/16	31.8
2IH4	4 9/16	4 9/16	2 1/16	3/8	5	3 1/2	3 1/2	3 3/4	1 1/2	—	3 3/4	3 3/16	31.8
2IH5	4 9/16	4 9/16	2 1/16	3/8	5	3 1/2	3 1/2	3 3/4	1 1/2	—	3 3/4	3 3/16	31.8
2IH5S2	4 9/16	4 9/16	2 1/16	3/8	5	3 1/2	3 1/2	3 3/4	—	—	3 3/4	3 3/16	31.8
2IH7	4 9/16	4 9/16	2 1/16	3/8	5	3 1/2	3 1/2	3 3/4	—	1 1/2	3 3/4	3 3/16	30.3
2IH7S2	4 9/16	4 9/16	2 1/16	3/8	5	3 1/2	3 1/2	3 3/4	1 1/2	—	3 3/4	3 3/16	32.0
2IHD5	4 9/16	4 9/16	2 1/16	3/4	5	3 1/2	3 1/2	3 3/4	1 1/2	—	3 3/4	3 3/16	40.3
3IHD7	4 9/16	6 1/16	2 1/2	1 1/8	6 3/4	3 1/2	3 3/4	5 1/2	—	1 1/2	3 3/4	3 3/16	54.8