



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## 6660G 6X6X60 N1 HC Wireway W/Ko

*Unity Manufacturing*

|                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Catalog Number   | 6660G                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Manufacturer     | Unity Manufacturing                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Description      | Unity 6660G Lay-In Wireway, Removable Hinged Cover Type, Length: 60 In, Width: 6 In, 6 In Height, Nema 1, IP30 Enclosure, Construction: Formed From Code Gauge, Low Carbon Steel, 16 Ga Low Carbon Steel, Gunsmoke Gray Powder Coated, Yes Knockouts, C/Us UI 50 and UI 870 - Type 1: Intended For Indoor Use Primarily to Provide A Degree Of Protection Against Limited Amounts Of Falling Dirt, Csa C22.2 No. 26 Certified, Type 1, IEC 60529, Rohs Compliant, For Cable and Wire Junction, Distribution and Termination, Ho |
| Weight per unit  | 12.5 (lbs/each)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Product Category | Nema Type 1 Wireway & Fittings                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

### Features

|            |                  |
|------------|------------------|
| Cover Type | Removable Hinged |
| Knockouts  | Yes              |
| Material   | Low-Carbon Steel |

### Material, Color, and Finish

|        |             |
|--------|-------------|
| Finish | Powder Coat |
|--------|-------------|

### Dimensions and Weight

|        |    |
|--------|----|
| Height | 6  |
| Length | 60 |
| Width  | 6  |



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685

## Descriptions

|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Construction           | Formed From Code Gauge, Low Carbon Steel                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Description            | 6X6X60 N1 HC WIREWAY W/KO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| extra long description | UNT 6660G N1 HINGED COVER WIREWAY W                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Long Description       | Unity 6660G Lay-In Wireway, Removable Hinged Cover Type, Length: 60 IN, Width: 6 IN, 6 IN Height, NEMA 1, IP30 Enclosure, Construction: Formed From Code Gauge, Low Carbon Steel, 16 GA Low Carbon Steel, Gunsmoke Gray Powder Coated, Yes Knockouts, C/US UL 50 And UL 870 - Type 1: Intended For Indoor Use Primarily To Provide A Degree Of Protection Against Limited Amounts Of Falling Dirt, CSA C22.2 No. 26 Certified, Type 1, IEC 60529, RoHS Compliant, For Cable And Wire Junction, Distribution And Termination, Ho |
| Product Type           | N1 Hinged Cover Wireway With K.O. Powder Coated                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Special Features       | For protecting electrical wiring where dust, dirt, oil and water are not serious problems; All sections and fittings are fully open on one side so wires and cables can be laid in along an entire run; No pulling-through of wires or cables is required; Wireway body has mounting holes on the back; Cover is secured to the body with plated screws; Keyhole slots are furnished on the wireway cover which allow easy access to the inside without removing the screws; #10-32 x 5/16 thread forming screw; 1/2 IN, 3/4 IN |

## Manufacturer Information

|                           |                |
|---------------------------|----------------|
| Brand                     | Unity          |
| GTIN                      | 00761515102909 |
| Manufacturers Part Number | 6660G          |
| UPC                       | 761515102909   |

## Taxonomies, Classifications, and Categories

|                      |                               |
|----------------------|-------------------------------|
| Category Description | STEEL WIRE WAY JUNCTION BOXES |
| Type                 | Lay-In Wireway                |

## Packaging

|                 |      |
|-----------------|------|
| Carton          | 1    |
| Package         | 2    |
| Weight Per each | 12.5 |



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685

## Uses, Certifications, and Standards

Application

For Cable And Wire Junction, Distribution And Termination,  
Houses Runs Of Control And Power Cable

Enclosure  
standard

NEMA 1, IP30

C/US UL 50 And UL 870 - Type 1: Intended For Indoor Use  
Primarily To Provide A Degree Of Protection Against Limited  
Amounts Of Falling Dirt, CSA C22.2 No. 26 Certified, Type 1, IEC  
60529, RoHS Compliant