


Carlon®



PART NUMBER	SIZE	O. D. NOMINAL	I.D. MIN (REF)	WALL THICKNESS MAX
DE4X - C	3/4"	1.05 [26,7]	.74 [18.8]	.060 [1,5]
DF4X - C	1"	1.32 [33,4]	.98 [24,9]	.060 [1,5]
DG4X - C	1 1/4"	1.67 [42,4]	1.31 [33,3]	.080 [2,0]
DH4X - C	1 1/2"	1.91 [48,4]	1.54 [39,1]	.080 [2,0]
DJ4X - C	2"	2.38 [60,3]	2.00 [50,8]	.080 [2,0]

NOTES:

- "LENGTH" IS DETERMINED PER ORDER
- PART NUMBER SUFFIX (UNDERSCORE):
 - 1 = ORANGE
 - 3 = GREY
 - 4 = WHITE
 - 7 = YELLOW
- "C" ON THE END ON PART NUMBER DENOTES PULLTAPE

SEE SHEET 2 FOR A SPECIFIC PART NUMBER.

GENERAL NOTES		Thomas & Betts www.tnb.com			
1. ALL DIMENSIONS ARE FOR REFERENCE ONLY.					
2. DIMENSIONS IN BRACKETS [] ARE IN METRIC UNITS.		DESCRIPTION: PVC WIDEHAT RISER-GARD FIBER OPTIC CORRUGATED CONDUIT			
REVISIONS		ORIGINAL PROJECT NO / (ERN NO)	SHEET NO:	REV. NO:	DRAWING NO:
D	SEE ERN 2015818 FOR APPROVAL SIGNATURES & RELEASE DATE. PROJECT NO: 5AM000010				
		/ ()	1 OF 3	D	WSD-AC04182

Carlton®

PART NUMBER	SIZE	O. D. NOMINAL	I.D. MIN (REF)	WALL THICKNESS MAX
DE4X1-1000 DE4X1-1000S DE4X1-350 DE4X2-1000	3/4"	1.05 [26,7]	.74 [18.8]	.060 [1,5]
DF4X1-250 DF4X1-250S DF4X1C-1000 DF4X1C-125 DF4X1C-1500 DF4X1C-2700 DF4X1C-4000 DF4X1C-500 DF4X1C-500R DF4X1C-5200 DF4X1C-6500 DF4X1C-7000 DF4X1C-8000 DF4X1C-9400 DF4X1C-5200 DF4X7C-5200 DF4X7C-8000 DF4X7D-5200	1"	1.32 [33,4]	.98 [24,9]	.060 [1,5]

Thomas & Betts
www.tnb.com

DESCRIPTION: **PVC WIDEHAT RISER-GARD
FIBER OPTIC CORRUGATED CONDUIT**

SHEET NO:

2 OF 3

REV. NO:

D

DRAWING NO:

WSD-AC04182

Carlton®

PART NUMBER	SIZE	O. D. NOMINAL	I.D. MIN (REF)	WALL THICKNESS MAX
DG4X1-200 DG4X1-200S DG4X1-500S DG4X1-7000X DG4X1C-1500 DG4X1C-1600 DG4X1C-200 DG4X1C-3200 DG4X1C-4500 DG4X1C-500 DG4X1C-500R DG4X1C-5600 DG4X1C-6500 DG4X1C-700 DG4X1C-900 DG4X1C-950 DG4X1C-1100 DG4X4C-1000 DG4X4C-500 DG4X7C-5000 DG4X7C-6000	1 1/4"	1.67 [42,4]	1.31 [33,3]	.080 [2,0]
DH4X1-150S DH4X1C-1200 DH4X1C-150 DH4X1C-300 DH4X1C-4000 DH4X1C-4500	1 1/2"	1.91 [48,4]	1.54 [39,1]	.080 [2,0]
DJ4X1-100S DJ4X1C-100 DJ4X1C-2000 DJ4X1C-2800 DJ4X1C-700 DJ4X1C-250 DJ4X1C-750	2"	2.38 [60,3]	2.00 [50,8]	.080 [2,0]

Thomas & Betts
www.tnb.com


DESCRIPTION: **PVC WIDEHAT RISER-GARD
FIBER OPTIC CORRUGATED CONDUIT**

SHEET NO:
3 OF 3

REV. NO:
D

DRAWING NO:
WSD-AC04182

Carlon®



PART NUMBER	SIZE	O. D. NOMINAL	I.D. MIN (REF)	WALL THICKNESS MAX
DE4X - C	3/4"	1.05 [26,7]	.74 [18.8]	.060 [1,5]
DF4X - C	1"	1.32 [33,4]	.98 [24,9]	.060 [1,5]
DG4X - C	1 1/4"	1.67 [42,4]	1.31 [33,3]	.080 [2,0]
DH4X - C	1 1/2"	1.91 [48,4]	1.54 [39,1]	.080 [2,0]
DJ4X - C	2"	2.38 [60,3]	2.00 [50,8]	.080 [2,0]

NOTES:

- "LENGTH" IS DETERMINED PER ORDER
- PART NUMBER SUFFIX (UNDERSCORE):
 - 1 = ORANGE
 - 3 = GREY
 - 4 = WHITE
 - 7 = YELLOW
- "C" ON THE END ON PART NUMBER DENOTES PULLTAPE

SEE SHEET 2 FOR A SPECIFIC PART NUMBER.

GENERAL NOTES		Thomas & Betts www.tnb.com			
1. ALL DIMENSIONS ARE FOR REFERENCE ONLY.					
2. DIMENSIONS IN BRACKETS [] ARE IN METRIC UNITS.		DESCRIPTION: PVC WIDEHAT RISER-GARD FIBER OPTIC CORRUGATED CONDUIT			
REVISIONS		ORIGINAL PROJECT NO / (ERN NO)	SHEET NO:	REV. NO:	DRAWING NO:
D	SEE ERN 2015818 FOR APPROVAL SIGNATURES & RELEASE DATE. PROJECT NO: 5AM000010				
		/ ()	1 OF 3	D	WSD-AC04182

THIS DRAWING IS INTENDED FOR DESCRIPTIVE PURPOSES ONLY. AND THE RIGHT IS RESERVED TO DEViate FROM ANY OF THE DETAILS SHOWN HEREON.
 Copyright Thomas & Betts - Proprietary, All Rights Reserved

Carlton®

PART NUMBER	SIZE	O. D. NOMINAL	I.D. MIN (REF)	WALL THICKNESS MAX
DE4X1-1000 DE4X1-1000S DE4X1-350 DE4X2-1000	3/4"	1.05 [26,7]	.74 [18.8]	.060 [1,5]
DF4X1-250 DF4X1-250S DF4X1C-1000 DF4X1C-125 DF4X1C-1500 DF4X1C-2700 DF4X1C-4000 DF4X1C-500 DF4X1C-500R DF4X1C-5200 DF4X1C-6500 DF4X1C-7000 DF4X1C-8000 DF4X1C-9400 DF4X1C-5200 DF4X7C-5200 DF4X7C-8000 DF4X7D-5200	1"	1.32 [33,4]	.98 [24,9]	.060 [1,5]

Thomas & Betts
www.tnb.com

DESCRIPTION: **PVC WIDEHAT RISER-GARD
FIBER OPTIC CORRUGATED CONDUIT**

SHEET NO:

2 OF 3

REV. NO:

D

DRAWING NO:

WSD-AC04182

Carlton®

PART NUMBER	SIZE	O. D. NOMINAL	I.D. MIN (REF)	WALL THICKNESS MAX
DG4X1-200 DG4X1-200S DG4X1-500S DG4X1-7000X DG4X1C-1500 DG4X1C-1600 DG4X1C-200 DG4X1C-3200 DG4X1C-4500 DG4X1C-500 DG4X1C-500R DG4X1C-5600 DG4X1C-6500 DG4X1C-700 DG4X1C-900 DG4X1C-950 DG4X1C-1100 DG4X4C-1000 DG4X4C-500 DG4X7C-5000 DG4X7C-6000	1 1/4"	1.67 [42,4]	1.31 [33,3]	.080 [2,0]
DH4X1-150S DH4X1C-1200 DH4X1C-150 DH4X1C-300 DH4X1C-4000 DH4X1C-4500	1 1/2"	1.91 [48,4]	1.54 [39,1]	.080 [2,0]
DJ4X1-100S DJ4X1C-100 DJ4X1C-2000 DJ4X1C-2800 DJ4X1C-700 DJ4X1C-250 DJ4X1C-750	2"	2.38 [60,3]	2.00 [50,8]	.080 [2,0]

Thomas & Betts
www.tnb.com

DESCRIPTION: **PVC WIDEHAT RISER-GARD
FIBER OPTIC CORRUGATED CONDUIT**

SHEET NO:
3 OF 3

REV. NO:
D

DRAWING NO:
WSD-AC04182