



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

1725 East Highway 82
76240-0000, TX Gainesville
Phone: 940-612-1388
Fax: 940-612-1499



GHQRD2030 GHQ Remote BKR, 1 P/15A, 277V 14kaic *Eaton Corp*

Catalog Number	GHQRD2030
Manufacturer	Eaton Corp
Description	Type GHQ Remote Operated Circuit Breaker, Two-Pole, 30A, 14 Kaic, 277V, 24 VDC Solenoid Operated, Rectified Ac or Half Rectified Ac
Weight per unit	0.7200 (lbs/each)
Product Category	20250923050608

Features

Current Rating	30 A
dimensions	6.2500 IN X 3.2500 IN X 2.5000 IN
interrupt rating	14 kAIC
Poles	Two-pole
Voltage Rating	277V

Descriptions

Description	GHQ REMOTE BKR, 1 P/15A, 277V 14KAIC
extra long description	ETN GHQRD2030 GHQ REMOTE bkr, 1 P/1
Features	Eaton has a wide selection of UL rated miniature circuit breakers for loadcenters, fuseboxes, or similar devices. Each pole provides steel frame calibration and arc chutes with 5 - 100A continuous in one-, two-, and three-pole designs. A full-range of accessories expand customization options, including various mounting and ring tung termination options.
Long Description	Type GHQ Remote Operated Circuit Breaker, Two-pole, 30A, 14 kAIC, 277V, 24 Vdc solenoid operated, Rectified AC or half rectified AC
Product Type	GHQ Remote BKR, 1 P/15A, 277V 14kaic

Manufacturer Information

Brand	Eaton Corp
Manufacturers Part Number	GHQRD2030

Taxonomies, Classifications, and Categories

Type	Thermal magnetic circuit breakers
------	-----------------------------------

Packaging

Carton	1
Weight Per each	0.72



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

1725 East Highway 82
76240-0000, TX Gainesville
Phone: 940-612-1388
Fax: 940-612-1499

Uses, Certifications, and Standards

Application

Marine Vessels and Equipment - Marine Vessels and Equipment -
OtherGeneration - Renewable Energy - Alternative
EnergyGeneration - Conventional Energy - Conventional
EnergyDatacenters - IT Space: CI and Hyper ConvergedOther

standard

CSA Std. C22.2 No. 5,UL 489