

# Specifications



## Eaton QBHW3035H

Eaton Quicklag Industrial Thermal-Magnetic Circuit Breaker, Three-pole, 35 A, 22 kAIC, 240 V, Bolt-on

### General specifications

|                             |                                           |
|-----------------------------|-------------------------------------------|
| <b>PRODUCT NAME</b>         | Eaton QB thermal magnetic circuit breaker |
| <b>CATALOG NUMBER</b>       | QBHW3035H                                 |
| <b>UPC</b>                  | 786679393352                              |
| <b>PRODUCT LENGTH/DEPTH</b> | 3.8 in                                    |
| <b>PRODUCT HEIGHT</b>       | 4.7 in                                    |
| <b>PRODUCT WIDTH</b>        | 3.2 in                                    |
| <b>PRODUCT WEIGHT</b>       | 1.15 lb                                   |
| <b>WARRANTY</b>             | 1 year                                    |
| <b>CERTIFICATIONS</b>       | UL Listed<br>CSA Certified                |
| <b>CATALOG NOTES</b>        | HACR rated                                |

## Physical Attributes

|                      |            |
|----------------------|------------|
| CIRCUIT BREAKER TYPE | QBHW       |
| MOUNTING METHOD      | Bolt-on    |
| NUMBER OF POLES      | Three-pole |
| TYPE                 | Quicklag   |

## Miscellaneous

|          |    |
|----------|----|
| QUANTITY | 32 |
|----------|----|

## Performance Ratings

|                  |                     |
|------------------|---------------------|
| AMPERAGE RATING  | 35 A                |
| INTERRUPT RATING | 22 kAIC             |
| TRIP TYPE        | Non-Interchangeable |
| VOLTAGE RATING   | 240 V - 240 V       |

## Resources

|                               |                                                                                                              |
|-------------------------------|--------------------------------------------------------------------------------------------------------------|
| CATALOGS                      | <a href="#">Circuit Protection, Miniature Circuit Breakers and Supplementary Protectors, Volume 4, Tab 1</a> |
| SPECIFICATIONS AND DATASHEETS | <a href="#">Eaton Specification Sheet - QBHW3035H</a>                                                        |

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.



# Specifications



## Eaton QBHW3035H

Eaton Quicklag Industrial Thermal-Magnetic Circuit Breaker, Three-pole, 35 A, 22 kAIC, 240 V, Bolt-on

### General specifications

|                             |                                           |
|-----------------------------|-------------------------------------------|
| <b>PRODUCT NAME</b>         | Eaton QB thermal magnetic circuit breaker |
| <b>CATALOG NUMBER</b>       | QBHW3035H                                 |
| <b>UPC</b>                  | 786679393352                              |
| <b>PRODUCT LENGTH/DEPTH</b> | 3.8 in                                    |
| <b>PRODUCT HEIGHT</b>       | 4.7 in                                    |
| <b>PRODUCT WIDTH</b>        | 3.2 in                                    |
| <b>PRODUCT WEIGHT</b>       | 1.15 lb                                   |
| <b>WARRANTY</b>             | 1 year                                    |
| <b>CERTIFICATIONS</b>       | UL Listed<br>CSA Certified                |
| <b>CATALOG NOTES</b>        | HACR rated                                |

## Physical Attributes

|                      |            |
|----------------------|------------|
| CIRCUIT BREAKER TYPE | QBHW       |
| MOUNTING METHOD      | Bolt-on    |
| NUMBER OF POLES      | Three-pole |
| TYPE                 | Quicklag   |

## Miscellaneous

|          |    |
|----------|----|
| QUANTITY | 32 |
|----------|----|

## Performance Ratings

|                  |                     |
|------------------|---------------------|
| AMPERAGE RATING  | 35 A                |
| INTERRUPT RATING | 22 kAIC             |
| TRIP TYPE        | Non-Interchangeable |
| VOLTAGE RATING   | 240 V - 240 V       |

## Resources

|                               |                                                                                                              |
|-------------------------------|--------------------------------------------------------------------------------------------------------------|
| CATALOGS                      | <a href="#">Circuit Protection, Miniature Circuit Breakers and Supplementary Protectors, Volume 4, Tab 1</a> |
| SPECIFICATIONS AND DATASHEETS | <a href="#">Eaton Specification Sheet - QBHW3035H</a>                                                        |

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

