

# Specifications



## Eaton TRUSBAC15LA-BOX

Eaton Combination USB Type A and Type C Charger, 15 A 5-15 R Receptacle, Light Almond, USB, Brass, Thermoplastic, Flush, Two-pole, Three-wire, Tamper resistant, Decorator, 125 V

Photo is representative



### General specifications

|                             |                                                      |
|-----------------------------|------------------------------------------------------|
| <b>PRODUCT NAME</b>         | Eaton combination USB charger with duplex receptacle |
| <b>CATALOG NUMBER</b>       | TRUSBAC15LA-BOX                                      |
| <b>UPC</b>                  | 032664755835                                         |
| <b>PRODUCT LENGTH/DEPTH</b> | 1.4 in                                               |
| <b>PRODUCT HEIGHT</b>       | 4.19 in                                              |
| <b>PRODUCT WIDTH</b>        | 1.3 in                                               |
| <b>PRODUCT WEIGHT</b>       | 0.285 lb                                             |
| <b>WARRANTY</b>             | 1 year                                               |
| <b>CERTIFICATIONS</b>       | NOM<br>cULus Listed                                  |
| <b>PRODUCT TYPE</b>         | Combination USB charger with duplex receptacle       |

## Product specifications

|                            |                                                                   |
|----------------------------|-------------------------------------------------------------------|
| <b>TYPE</b>                | Type AC                                                           |
| <b>AMPERAGE RATING</b>     | 15A                                                               |
| <b>VOLTAGE RATING</b>      | 125 V                                                             |
| <b>CONTACT MATERIAL</b>    | Brass                                                             |
| <b>FEATURES</b>            | Tamper resistant<br>5A Charging                                   |
| <b>WIRING METHOD</b>       | Screw terminals                                                   |
| <b>NUMBER OF WIRES</b>     | Three-wire                                                        |
| <b>MOUNTING METHOD</b>     | Flush                                                             |
| <b>NUMBER OF POLES</b>     | Two-pole                                                          |
| <b>PACKAGING TYPE</b>      | Retail Box                                                        |
| <b>COLOR</b>               | Light almond                                                      |
| <b>MATERIAL</b>            | Thermoplastic                                                     |
| <b>STYLE</b>               | Decorator                                                         |
| <b>ALLOWABLE WIRE SIZE</b> | Side or Back Wiring :#10-<br>14 Copper or Copper Clad<br>Aluminum |
| <b>NEMA CONFIGURATION</b>  | 5-15R                                                             |
| <b>TORQUE RATING</b>       | 14 lbf-inch                                                       |
| <b>COMBINATION TYPE</b>    | USB                                                               |
| <b>DESIGN TYPE</b>         | Receptacle                                                        |
| <b>RECEPTACLE TYPE</b>     | Two-pole, three-wire,<br>grounding                                |

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATE:**

## Resources

|                                      |                                                                                                                                                                                                                           |
|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>BROCHURES</b>                     | <a href="#">5A Slim USB Charging Receptacles</a>                                                                                                                                                                          |
| <b>MULTIMEDIA</b>                    | <a href="#">Fast and convenient charging made easy with Eaton's USB receptacles</a><br><a href="#">Introduction to USB-C Duplex Receptacles</a><br><a href="#">Eaton's USB charging receptacles - Never miss a moment</a> |
| <b>SPECIFICATIONS AND DATASHEETS</b> | <a href="#">Eaton Specification Sheet - TRUSBAC15LA-BOX</a><br><a href="#">USB A/C charger tamper resistant receptacle spec sheet</a>                                                                                     |



**Eaton Corporation plc** Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.



# Specifications



## Eaton TRUSBAC15LA-BOX

Eaton Combination USB Type A and Type C Charger, 15 A 5-15 R Receptacle, Light Almond, USB, Brass, Thermoplastic, Flush, Two-pole, Three-wire, Tamper resistant, Decorator, 125 V

Photo is representative



### General specifications

|                             |                                                      |
|-----------------------------|------------------------------------------------------|
| <b>PRODUCT NAME</b>         | Eaton combination USB charger with duplex receptacle |
| <b>CATALOG NUMBER</b>       | TRUSBAC15LA-BOX                                      |
| <b>UPC</b>                  | 032664755835                                         |
| <b>PRODUCT LENGTH/DEPTH</b> | 1.4 in                                               |
| <b>PRODUCT HEIGHT</b>       | 4.19 in                                              |
| <b>PRODUCT WIDTH</b>        | 1.3 in                                               |
| <b>PRODUCT WEIGHT</b>       | 0.285 lb                                             |
| <b>WARRANTY</b>             | 1 year                                               |
| <b>CERTIFICATIONS</b>       | NOM<br>cULus Listed                                  |
| <b>PRODUCT TYPE</b>         | Combination USB charger with duplex receptacle       |

## Product specifications

|                            |                                                                   |
|----------------------------|-------------------------------------------------------------------|
| <b>TYPE</b>                | Type AC                                                           |
| <b>AMPERAGE RATING</b>     | 15A                                                               |
| <b>VOLTAGE RATING</b>      | 125 V                                                             |
| <b>CONTACT MATERIAL</b>    | Brass                                                             |
| <b>FEATURES</b>            | Tamper resistant<br>5A Charging                                   |
| <b>WIRING METHOD</b>       | Screw terminals                                                   |
| <b>NUMBER OF WIRES</b>     | Three-wire                                                        |
| <b>MOUNTING METHOD</b>     | Flush                                                             |
| <b>NUMBER OF POLES</b>     | Two-pole                                                          |
| <b>PACKAGING TYPE</b>      | Retail Box                                                        |
| <b>COLOR</b>               | Light almond                                                      |
| <b>MATERIAL</b>            | Thermoplastic                                                     |
| <b>STYLE</b>               | Decorator                                                         |
| <b>ALLOWABLE WIRE SIZE</b> | Side or Back Wiring :#10-<br>14 Copper or Copper Clad<br>Aluminum |
| <b>NEMA CONFIGURATION</b>  | 5-15R                                                             |
| <b>TORQUE RATING</b>       | 14 lbf-inch                                                       |
| <b>COMBINATION TYPE</b>    | USB                                                               |
| <b>DESIGN TYPE</b>         | Receptacle                                                        |
| <b>RECEPTACLE TYPE</b>     | Two-pole, three-wire,<br>grounding                                |

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATE:**

## Resources

|                                      |                                                                                                                                                                                                                           |
|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>BROCHURES</b>                     | <a href="#">5A Slim USB Charging Receptacles</a>                                                                                                                                                                          |
| <b>MULTIMEDIA</b>                    | <a href="#">Fast and convenient charging made easy with Eaton's USB receptacles</a><br><a href="#">Introduction to USB-C Duplex Receptacles</a><br><a href="#">Eaton's USB charging receptacles - Never miss a moment</a> |
| <b>SPECIFICATIONS AND DATASHEETS</b> | <a href="#">Eaton Specification Sheet - TRUSBAC15LA-BOX</a><br><a href="#">USB A/C charger tamper resistant receptacle spec sheet</a>                                                                                     |



**Eaton Corporation plc** Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

