



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

1207 Energy Drive
75662-0000, TX Kilgore
Phone: 903-984-8485
Fax: 903-984-8193



U125 5/16"-18 X 1-1/4" U-Bolt W/ Strap & Hex Nuts

L.H. Dottie CO.

Catalog Number	U125
Manufacturer	L.H. Dottie CO.
Description	U-Bolt, Low Carbon Steel Material, Zinc Plated Finish, 2-11/16 In. Length, 1-3/4 X 2-11/16 In. Size, Internal-1-3/4 In. Diameter, NC Rolled Machine Thread, 2 Nuts, Hex Nut Type, 1-1/8 In. Thread Length, 2-11/16 In. Height, 1-1/4 In. Pipe Diameter, 5/16 In. Thread Diameter
Weight per unit	0.1840 (lbs/each)
Product Category	Channel & Strut Fittings

Features

Thread Length	1-1/8
---------------	-------

Material, Color, and Finish

Finish	Zinc Plated
--------	-------------

Dimensions and Weight

Diameter	Internal:1-3/4
Height	2-11/16
Length	2-11/16
Size	1-3/4 x 2-11/16

Descriptions

Description	5/16"-18 X 1-1/4" U-BOLT W/ STRAP & HEX NUTS
extra long description	DOTTIE U125 1-1/4" U-Bolts Zinc Pla
Long Description	U-Bolt, Low Carbon Steel material, Zinc Plated Finish, 2-11/16 in. length, 1-3/4 x 2-11/16 in. Size, Internal-1-3/4 in. diameter, NC Rolled Machine thread, 2 nuts, Hex nut type, 1-1/8 in. thread length, 2-11/16 in. height, 1-1/4 in. pipe diameter, 5/16 in. thread diameter
Product Type	1-1/4" U-Bolts Zinc Plated With Straps and Hex Nuts
Special Features	Features: U Bolts are Generally used to Support Conduit from Strut, Provided with Hex Nuts and Plate, NC Rolled Threads

Manufacturer Information

Brand	LH DOTTIE
GTIN	00781002179252
Manufacturers Part Number	U125
UPC	781002179252

Taxonomies, Classifications, and Categories

Category Description	Screws, Bolts, Staples, Jack Chains, Washers & TY-Raps
Type	U-Bolt



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

1207 Energy Drive
75662-0000, TX Kilgore
Phone: 903-984-8485
Fax: 903-984-8193

Packaging

Carton	25
Weight Per each	0.184

Uses, Certifications, and Standards

Application	Conduit
-------------	---------